APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

	OR OFFICE USE ONLY
Date of Filing in State Engineer's Office	EP 0 7 2011
Returned to applicant for correction	
Corrected Application filed	Map filed DEC_ 18_1970_under25893
The applicant DENVER SQUARE TRUST	
3850 W. Tropicana Ave, Suite B	of Las Vegas
Street Address or P.O. Box	City or Town
Nevada 89103	hereby make(s) application for permission to appropriate the
State and ZIP Code	
	r stated. (If applicant is a corporation, give date and place of
incorporation; if a copartnership or association, give na	•
Lanny D. Love, TTE is owner of all of Lida Ranch, LI	LC holdings, Denver Square Trust, Lida Livestock (all on File)
make and an arminum	
The source of water is UNDERGROUND	
·	ne of the stream, lake, underground, spring or other sources.
2. The amount of water applied for is .50 C.F.S	
**	One second foot equals 448.83 gallons per minute.
(a) If stored in a reservoir give the number of acre-fe	eet
3. The water is to be used for MINING	
	mining, commercial, domestic or other use. Must be limited to one major use.
4. If use is for:	(0)
(a) Irrigation, state number of acres to be irrigated	7 2 7
(b) Stockwater, state number and kind of animals	TE R
(c) Other use (describe fully in No. 12)	Z P O
(d) Power:	
(1) Horsepower developed	<u> </u>
(2) Point of return of water to stream NO RETUR	
CA - STATE OF TANKET OF TANKET TO STANKET	् ग

Revised 07/09


5. The water is to be diverted from its source at the course and distance to a found section corner. If on unsurveyed land, it s NW1/4 SW1/4, SEC 33, T5S, R38E, M.D.B.&M o 01degree 10' W., 1,907.FT.	hould be so stated.)			and by
6. Place of use: (Describe by legal subdivision. If on unsurveyed NW 1/4 SW 1/4, \$33, T5S, R38E, M.D.B.&M.	land, it should be so stated)			
7. Use will begin about 1/1	and end about 12/31	of eac	h year	·•
8. Description of proposed works. (Under the prov specifications of your diversion or storage works drilled well with a pump and motor, etc.)	Month and Day visions of NRS 535.010 you may be required to su (State manner in which water is to be diverted, i.e. diversion structure)			
Existing well and equipment to be updated				
9. Estimated cost of works: \$5,000				
10. Estimated time required to construct works: 2				
	(If the well is complete, describe works.)			
11. Estimated time required to complete the application of the state o				
12. Provide a detailed description of the proposed provide a detailed description may cause a delay in processing.)	• •	essary):	(Failur	e to
APPLYING FOR RE INSTATEMENTS OF ALL		and land	<u>s.</u>	
OLD APPLICATION NUMBER is AS FOLLOW				_1
Shadarobah Mining Claim NMC -607003 in relation	onship to this property We own over 827+ acres in	this are	a of cla	<u>aım.</u>
13. Miscellaneous remarks:				
Lida Ranch, LLC is owner/holder of all land in are				<u>us</u>
owners via chain of title. Owner of same Denver S Magruder including other area large parcels. Area				anv
ponds to make available for fire control as needed.				
		STAT	201	
	Lanny D. Love, TTE	- 121	<u>~</u>	_조
msperrine@aol.com (Contact Susie Perrine)	Type or print name clearly	<u> </u>	Ŧ	\Box
E-mail Address 702 492 1020	Signature, applicant or agent	7.	-	<u> </u>
702-683-1029 Phone No. Ext.	Lida Ranch, LLC		70	
	Company Name	∑ <u>O</u>	ب	2 P
APPLICATION MUST BE SIGNED	3850 W. Tropicana Ave, Suite B		- CO T	_

City, State, ZIP Code

Street Address or PO Box

Las Vegas Nevada 89103

BY THE APPLICANT OR AGENT



DIVISION OF WATER RESOURCES

STATE OF NEVADA DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No // 3.80
Permit No35:82/
Basin Monte Cristo

Material Water From To Taketon Size From To Inches Size From To Taketon Size From To Inches Size From Size From To Inches From Size	1. OWNER 2	yekar.	7120	E G	5		ADDRESS 7820 Weston
2. LOCATION	House	En July	Las.	. ,	770	42	
PERMIT NO TYPE OF WORK 4. PROPOSED USE 5. TYPE WELL							
TYPE OF WORK A PROPOSED USE S. TYPE WELL New Well Proposed Domestic Dome	2. LOCATION	\$ E 14		ec <i>1. 2</i>	2T		14/8 R 58 E MDB/M-ESMEZ/ 62 Count
New Well B Recondition Domestic Irrigation Test Cable Rotary (Other Municipal Industrial B Stock Other 6. LITHOLOGIC LOG Maintrial Surial From To Index Ones Surface Surface	PERMIT NO				78+8b+++++++++		na ezer o nongrant et group et e e est a 2000 et eur veur en de est en de estados de estados de estados estado
New Well B Recondition Domestic Irrigation Test Cable Rotary (Other Municipal Industrial B Stock Other 6. LITHOLOGIC LOG Maintrial Surial From To Index Ones Surface Surface	_					.,	
Deepen Other Municipal Industrial P Stock Other 6. LITHOLOGIC LOG Material Waster From To Takes					4.		PROPOSED USE 5. TYPE WELL
8. WELL CONSTRUCTION Masserial Winser From To Thicks S. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		-					
Maierial Water Proce To Takes Cashing record Classing record Classin	Despen		ther		Mu	micipal (Industrial D Stock. D Other D
Signed Brown Street 10 mass Signed Performance Signed Perfor	6.	LITHOLO	OGIC LOC	}	<u>-</u>		8. WELL CONSTRUCTION
Section Sect	Ма	uterial		From	To		Diameter hole 5 fee
District Property	(2.5-1	يد بري		<u></u>	17/	200	
Set Per Gry Ves C 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			+	30	127	3/-	174
Convertion Con				200	73	113	Diameter Prom To
Section Sect	C 154	d a 3,		5/3	7/3	6	1 /0
Secretarian		274.0		50	100	100	# .
Inches feet	- 701-11	(5) 10/65		10	17.	1/8	
Solution			7	<u> </u>	1/3	1.	
Surface seal: Yes No Type Surface seal: Yes No Tope Surface seal: Yes Tope Surface sea	7		T-9	1/2/	135	172	H
Depth of seal	ZIZYA UCO	(EKICI) SA		<u> </u>	153	 	1
Gravel packed: Yes 2 No		<u> </u>	7				
Gravel packed from	7/4					37	
Perforations: Type perforation SOT SIZEP Size perforation SOT SIZEP From feet to 200 feet From feet to feet From feet to feet From feet to feet From feet to feet Prom feet to feet Prom feet to feet From feet to feet Prom feet to feet Prom feet to feet 19 ON WATER LEVEL Static water level SOP Peet below land surface Flow G.P.M. SO ON SOP ON SO						13	Gravel packed: Yes ☑ No □
Type perforation 107 Shop Size perforation 107 Size	-HOGH S.D	-W:/A /45/4	NO	1-51	25.0	19	Gravel packed fromfeet tofee
Type perforation 107 Shop Size perforation 107 Size			 				
Size perforation of X2 X Contests S. Stable From teet to 200 feet From feet to feet to feet From feet to feet From feet to feet From feet to feet Prom feet to feet to feet to feet Prom feet to feet to feet Prom feet to feet to feet to feet Prom feet to fee			 			 	
From feet to feet From feet to			 				Type perforation 200
From feet to feet From feet to				_			Size perforation 19 22 X6 CENTESS—& Tale
Prom. feet to feet feet feet feet feet feet f			-				
Prom feet to feet From feet to feet to feet From feet to feet to feet From feet to feet to feet From feet to feet to feet From feet to feet to feet From			-				
From feet to feet 9. WATER LEVEL Static water level Feet below land surface Flow G.P.M. 550 Water temperature F. Quality G.D. 10. DRILLERS CERTIFICATION This well was drilled under my supervision and the report is true to the best of my knowledge. WELL TEST DATA Pump RPM G.P.M. Draw Down After Hours Pump Address. Auch like V. Dlay Bit Truct poly Nevada contractor's license number 9/32 Nevada driller's license number 9/32 Nevada driller's license number 9/32 Nevada driller's license number 9/32 BAILER TEST Signed 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						ļ	
9. WATER LEVEL Static water level 39 Feet below jand surface Flow G.P.M. 50 Date started 0 190 Date completed 1 190 WELL TEST DATA Pump RPM G.P.M. Draw Down After Hours Pump Address. Fashlah Vally Di Tomp Dak Nevada driller's license number 122 BAILER TEST Draw down feet hours Date 12 2 2 70 Static water level 39 Feet below jand surface Flow G.P.M. S. J.		··· -					
Static water level 39 Peet below jand surface. Flow			· .				From feet to feet
Static water level 39 Peet below jand surface. Flow			ļ		<u>.</u>		
Pump RPM G.P.M. Draw Down After Hours Pump BAILER TEST Draw down feet hours Flow Water temperature F. Quality — C.G.D. 10. DRILLERS CERTIFICATION This well was drilled under my supervision and the report is true to the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the Value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the best of my knowledge. Name I find the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the value of the best of my knowledge. Name I find the best of my knowledge. Name							3 ± 1
Water temperature	··· ··						Static water level 59 Feet below Jand surface
Date started 1976. Date completed 1976. WELL TEST DATA Pump RPM G.P.M. Draw Down After Hours Pump Address. F. Shilaki V. May 17 To May 1874. Nevada contractor's license number 1979. Nevada driller's license number 1979. Nevada driller's license number 1979. BAILER TEST Draw down. feet hours Draw down. feet hours Date 1279.			-				
Date completed	_						Water temperature° F. Quality 6-66.
Date completed							10. DRILLERS CERTIFICATION
Date completed	Date started	2-14	4P1,78841+01441+01		i	ا م	
Pump RPM G.P.M. Draw Down After Hours Pump Address. Askilaki Valley 571 Tone park Nevada contractor's license number. 8/32 Nevada driller's license number. 4/29 BAILER TEST Draw down. feet hours Draw down feet hours Date 12-23-76	Date completed	1 = 5=	P&54	· · · · · · · · · · · · · · · · · · ·	1:	ا ترجيرو	the best of my knowledge.
Nevada contractor's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Signed. 1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2		WELL TE	ST DATA				The to dy
Nevada contractor's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Signed. 1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2							Name - Julian Land
Nevada contractor's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Signed. 1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	гиир кРМ	G.P.M.	DISA DOM	Af	ter Hours I	Pump	Address Freshlickitia M Di Tannal L
Nevada contractor's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Nevada driller's license number. 8/32 Signed. 1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2				 			NOW COS. F. K. C.
BAILER TEST BAILER TEST Draw down feet hours Draw down feet hours Draw down feet hours	•	Hor Tool	·				
BAILER TEST Draw down feet hours Draw down feet hours Draw down feet hours		10 10 51					Prevaus Contractor & Incose Register
BAILER TEST Draw down feet hours Draw down feet hours Draw down feet hours							Nevada driller's license pumber 4/29
J.P.M. Draw down feet hours Date 12-23-76							_
J.P.M. Draw down feet hours Date 12-23-76	~ =					l	Signed Lille Coal & February
P.M. Draw down feet hours Date 12-22-16 Draw down feet hours							
Draw down feet hours							Date 12-71-10
	J.Y.M	Dr	aw down	fee	t	hours	

General Information

Application: 35821 Status: CANCELLED Certificate: None Start new search

General

Owner(s):

G.S.I. NUGGET INC.

Basin:

FISH LAKE VALLEY - 117

Sub Basin: Region:

CENTRAL

Basin Status:

DESIGNATED

County:

ESMERALDA

Previous Applications (Base Rights)

No previous applications found

Source: Project Name: UNDERGROUND

DULANEY JACQUEMINE

Use: Period Start:

MINING AND MILLING

0101

Period End:

Decree Name:

Source Description:

1231

Point of Diversion Information:

Qtr-Qtr:	Qtr:	Section:	Township:	Range:
NW	SW	33	05S	38E

Duty Balance:

Acre-Feet Storage: 0

28.0037125 AFA

Div Balance: Well Logs:

0.25

Well Log Nos.: 11380

Remarks:

Maps and Due Dates

Application: 35821 Status: CANCELLED Certificate: None Start new search

Due Dates

Filing Date:	08/28/1978	Priority Date:	08/28/1978	Return Date:	10/18/19 7 8
Sent for Publication:	11/01/1978	Last Publication:	12/08/1978	Ready for Action:	01/07/1979
Permit Date:	03/23/1979	Withdrawn Date:		Forfeit Date:	
Cancel Portion:		Cancellation Date:	06/03/1986	Cancellation Rescind:	
Denied Date:					

Maps

Filed Under:	Date:	Filed Under:	Date:
Proposed POD:	12/18/1970	Existing POD:	
Proposed POU:		Existing POU:	

Proofs of Completion and Beneficial Use

Due Date:	Received:	Filed:	Extension Duc:	Extension Received:
POC: 06/23/1979	And the State of the State	04/19/1979	en de la companya del companya de la companya del companya de la c	
PBU: 12/23/1985			Y	

Other Dates and Requirements

Cultural Map Due:	Received:	Filed Under:	Certificate Date:	
Forfeiture Due Date:	Extension Required:	Forfeiture Portion:	Forfeiture Filed:	Forfeiture Filed:
Temporary Expiration Date:	Other Date:	Reporting Required:		
Remarks:				

Place of Use Information

Application: 35821 Status: CANCELLED Certificate: None Start new search

Acreage Data

Total Acres Irrigated: 0 Use Units:

Remarks

None

Place of Use Data

QQ	Q	Section	Township	Range	ВМ	Acres	
NW	sw	33		38E	MD	0.00	

81157 Messigned Nº 35821

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filling in State Engineer's Office AUG 2 8 1978
Returned to applicant for correction OCT 1 8 1978
Corrected application filed
Map filed DEC 1 8 1970 under 25893
The applicant Anchor-Wate Company J. G. Jacquewine, President and Owner.
Box 127 of Henderson City or Town
Nevada 89015 hereby makes. application for permission to appropriate the public State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)
at the present time
The source of the proposed appropriation is <u>Underground</u> Name of stream, lake or other source.
Name of stream, lake of other source.
2. The amount of water applied for isQ. 50. One second-foot equals 448.83 gais, per min.
One second-foot equals 448.83 gala per min. (a) If stored in reservoir give number of acre-feet 0.13 acre-feet
3. The water to be used for Mining, milling and domestic Irrigation, power, mining, manufacturing, demostic, or other use. 4. If use is for:
(a) Irrigation (state number of acres to be irrigated)
(b) Stockwater (state number and kinds of animals to be watered).
(c) Other use (describe fully under "No. 12. Remarks").
(d) Power.
(1) Horsepower developed:
(2) Point of return of water to stream.
5. The water is to be diverted from its source at the following point: NW4, SW4, Sec. 33, T.5S.
R. 38E. M.D. B. &M., or at a point from which the SW corner of Describe as being within a 40-acre subdivision of public survey, and by course and distance to a accilen corner. If on ansurveyed land,
said Sec. 33 bears \$ 01° 10' W. 1.907.0 ft.
6. Place of use. NW: SW: Sec. 33 T.5S., R. 33E. M.D.B. £M. Describe by legal subdivision, if on manurered land it should be so stated.
7. Use will begin about Jan 1 and end about Dec 31 of each year. Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.). Well, pump, motor, storage tank
pipe distribution system State manner in which water is to be diverted, whether by dant or other works, whether through pipes, ditches, fames, or other coordina.

9. Estimated co	ost of works \$4,000.00)	3302.
	1		te
	-		low ready
	For use other than irrigation or	_	and type of units to be served or annual
_		ter will be used in	50 T.P.D. beneficiation
***********	_		
······	,		
Applicant		305 U - M 8 8 8 6 5 6 7 4 4 5 4 4 9	
		By s/J. G. J	acquemine nt and Owner
Compared jm/b	1	bl/bc	nic and owner
	4BDD0444		
	APPRUVAL	OF STATE ENG	INEER
	rtify that I have examined the ms and conditions:	e foregoing application, and do	hereby grant the same, subject to the
placed to be reasonable 1 two (2) inch must be inst stalled and accurate mea meter must b pletion of W State Engine use of the w	neficial use. It is a owering of the static opening for measuring alled and maintained is maintained in the disc surements must be kept e installed before any ork is filled. This so er, pursuant to NRS 53 ater herein granted at the entert of the surements must be the surement of the su	also understood that the water level. This we's depth to water. If it to prevent waste. A to charge pipeline near that of water placed to be yuse of water begins, wree is located within 34.030. The State retains any and all times.	the amount of water actually his right must allow for a all shall be equipped with a the well is flowing, a valve otalizing meter must be interested in the point of diversion and eneficial use. The totalizing or before the Proof of Comman area designated by the mains the right to regulate the diversion and the right to regulate the diversion area.
	*	cubic feet per second	but not to exceed 9.125
d			_
Actual construction	n work shall begin on or before	.	May 23, 1979
Proof of commenc	ement of work shall be filed be	efore	June 23, 1979
Work must be pro	secuted with reasonable diliger	nce and be completed on or bei	fore May 23, 1979
Proof of completic	n of work shall be filed before		June 23, 1979
Application of wat	ter to beneficial use shall be m	ade on or before	May 23, 1982
Proof of the applic	cation of water to beneficial us	se shall be filed on or before	June 23. 1982
Map in support of	proof of beneficial use shall	be filed on or before	
Commencement of w Completion of work Proof of beneficial us	488 A 1070	IN TESTIMONY WHEREOF, State Engineer of Nevada, my office, this. 23rd	WILLIAM J. NEWMAN have hereunto set my hand and the seal of day of MARCH
Cultural map filed		AD 19 79 1	
Recorded	Bk. Page	Wille	am J. Clewrian
218 (Rev.)	OF APPLICAL	NT TO COLLEY WITH THE PROVI	State Bagineer State Bagineer State Engineer